

§ 6.508

40 CFR Ch. I (7–1–01 Edition)

and/or the installation of other related public works projects funded in coordination with other Federal, State, tribal or local agencies.

(2) The project component also must:

(i) Not foreclose any reasonable alternatives identified for the overall wastewater treatment works system(s);

(ii) Not cause significant adverse direct or indirect environmental impacts including those which cannot be acceptably mitigated without completing the entire wastewater treatment system of which the component is a part; and

(iii) Not be highly controversial.

(c) *Requests for partitioning.* The applicant's or State's request for partitioning must contain the following:

(1) A description of the discrete component proposed for construction before completing the environmental review of the entire facilities plan;

(2) How the component meets the above criteria;

(3) The environmental information required by § 6.506 of this subpart for the component; and

(4) Any preliminary information that may be important to EPA in an EIS determination for the entire facilities plan (§ 6.509).

(d) *Approval of requests for partitioning.* The responsible official shall:

(1) Review the request for partitioning against all requirements of this subpart;

(2) If approvable, prepare and issue a FNSI in accordance with § 6.508;

(3) Include a grant condition prohibiting the building of additional or different components of the entire facilities system(s) in the planning area as described in § 6.502(b)(3)(i).

[50 FR 26317, June 25, 1985, as amended at 51 FR 32612, Sept. 12, 1986]

§ 6.508 Finding of No Significant Impact (FNSI) determination.

(a) *Criteria for producing and distributing FNSIs.* If, after completion of the environmental review, EPA determines that an EIS will not be required, the responsible official shall issue a FNSI in accordance with §§ 6.105(f) and 6.400(d). The FNSI will be based on EPA's independent review of the preliminary environmental assessment and any other environmental informa-

tion deemed necessary by the responsible official consistent with the requirements of § 6.506(c). Following the Agency's independent review, the environmental assessment will be finalized and either be incorporated into, or attached to, the FNSI. The FNSI shall list all mitigation measures as defined in § 1508.20 of this title, and specifically identify those mitigation measures necessary to make the recommended alternative environmentally acceptable.

(b) *Proceeding with grant awards.* (1) Once an environmental assessment has been prepared and the issued FNSI becomes effective for the treatment works within the study area, grant awards may proceed without preparation of additional FNSIs, unless the responsible official later determines that the project or environmental conditions have changed significantly from that which underwent environmental review.

(2) For all environmental assessment/FNSI determinations:

(i) That are five or more years old on projects awaiting Step 2=3 or Step 3 grant funding, the responsible official shall re-evaluate the project, environmental conditions and public views and, prior to grant award, either:

(A) *Reaffirm*—issue a public notice reaffirming EPA's decision to proceed with the project without revising the environmental assessment;

(B) *Supplement*—update information and prepare, issue and distribute a revised EA/FNSI in accordance with §§ 6.105(f) and 6.400(d); or

(C) *Reassess*—withdraw the FNSI and publish a notice of intent to produce an EIS followed by the preparation, issuance and distribution of the EIS/ROD.

(ii) That are made on projects that have been awarded a Step 2=3 grant, the responsible official shall, at the time of plans and specifications review under § 35.2202(b) of this title, assess whether the environmental conditions or the project's anticipated impact on the environment have changed and, prior to plans and specifications approval, advise the Regional Administrator if additional environmental review is necessary.

[51 FR 32612, Sept. 12, 1986]